■ アフターサービス

お買い求めいただきました本製品は万全を期して製造しておりますが、万一不備な点がございましたら、お買 い求めいただいた販売店、もしくは下記の弊社窓口までご連絡ください。

製造上の欠陥による不具合の場合は無償で交換させていただきます。なお、修理、交換等の要否につきましては、弊社の裁量にて判断させていただきます。

なお、以下のような原因での破損、不良につきましては保証いたしませんのでご了承ください。

本製品の誤った使用方法によるもの間違ったお手入れ、保管方法、経年変化による素材劣化乱暴な取り扱いによるものその他、製造上の欠陥以外の原因によるもの

破損時は弊社にて診断をして、修理が可能な場合はご要望により有償にて修理させていただきます。

■ 仕様

素材:フレーム:超弾性ナイロン樹脂 ノーズパッド:熱可塑性エラストマー レンズ:ポリカーボネート + トリアセテート セミハードケース:E.V.A. ソフトケース:ポリエステル

── 別売オプション ─
●テンプルフック

■ その他

本製品の仕様、デザインは予告なく変更されることがあります。また、重量などのスペックには誤差が生じる場合があります。

mont・bell 取扱説明書(各モデル共通)



Stream Glasses Series

この度はお買いあげいただき、誠にありがとうございます。この取扱説明書(以下「本説明書」といいます)は本 製品の正しい取扱方法を説明しています。ご使用の前に本説明書をよくお読みいただき、正しい使用方法を ご確認ください。

なお、ご不明な点等ございましたら、販売店もしくは(株)モンベル カスタマー・サービスまでお問い合わせく ださい。本説明書は大切に保管してください。



本製品は、視界が広く、風の巻き込みが少ない大型一眼レンズを使用した軽量サングラスです。一般的な曇り 止め加工されたレンズと比較して約3~5倍の防曇効果が持続するアンチフォグシステムを搭載。また、日本人 の顔にフィットするフレームの形状と調節式ノーズパッド(2段階)により、快適な装着感を実現しています。

■ 各部の名称



1

株式会社 モンペル 本 社 〒550-0013 大阪市西区新町2-2-2 Tel. 06-6531-3544 フリーコール: llee 0088-22-0031 商品についてのお問い合わせはカスタマー・サービスまで モンベルホームページ <u>http://www.montbell.jp</u>

4

■ 安全上の注意 必ずお読みください

巻き件場合により人が死亡または重傷を負う可能性が想定される内容です。 軽傷または物的損害が発生する頻度が高いことが想定される内容です。

○本商品は有害な太陽光の紫外線などを大幅にカットするよう作られています。強い衝撃などから目を保護するものではありません。サングラスの用途以外に使用しないでください。

- ○レンズのカラーによっては朝や夕方、トンネル内などでは視界が悪くなる場合があります。特に自動車、自転車、バイクなどの運転時のご使用にはご注意ください。
- ○調光レンズは濃くなった状態から淡く戻るまでに時間がかかります。
- ○調光レンズは車のフロントガラスの種類により、紫外線遮断効果で色調および濃度の変化が低下すること があります。
- ○ご使用前に必ず点検してください。老朽化や、レンズ・フレームに損傷がある場合はご使用にならないでく ださい。

🕐 注意 人が傷害を負ったり物的損害の発生が想定される内容です。

- ○装着は鼻、こめかみ、耳の三点に均等にかかるように装着してください。また、必ず両手で装着してください。 片手で取り扱うと破損する恐れがあります。
- ○暖房器具など高温になるところに近づけたり、車中などには放置しないでください。レンズやフレームが変 質、変形する恐れがあります。
- ○保管する際は傷つきやすい場所を避け、金属などと一緒にしないでください。レンズや本体に傷がつく恐れがあります。
- ○防曇機能を良好に保つため、レンズの内側は水分を含みやすくなっております。水分を含んだ状態のレンズを布などで強く拭くとレンズに傷がつく恐れがあります。
- ○目や顔を負傷する場合があるので、接触等がおこる激しいスポーツでは使用しないでください。
- ○目を痛める原因となりますので、太陽や強い光を直視しないでください。
- ○使用中にアレルギー症状等が発生した場合はただちに使用を中止して医師に相談してください。
- ○机等に置く場合は必ずレンズ面を上向きに置いてください。レンズ面を下にすると傷等がつく原因になります。
- ○シンナーやアルコール等の有機系溶剤は変形・変色の原因となりますので使用しないでください。
- ○長期間使用されない場合は付属のセミハードケースに入れて保管してください。
- ○レンズに曇り止め液・撥水液・クリーナーなどは塗らないでください。曇り止め効果が損なわれる恐れがあります。市販されている曇り止め液の中には、レンズを傷めるものもあります。
- ○正しいお手入れ方法や保管方法を守ってください。

■ 使用前の点検 使用にあたっては、毎回必ず次のことを確かめてください。 異常が見られた場合は使用しないでください。

□レンズやフレームに亀裂や変形などがないか

■ 使用方法

○ ノーズパッドの角度調節方法

本製品のノーズパッドは2段階に調節することができます。ご使用 の前にズレなくフィットするよう調節してください。

ノーズパッド

○ ソフトケース -

ソフトケースはレンズクリーナーとしてもご使用いただけます。

調光レンズについて (ストリームグラス BC のみ)

紫外線量によってレンズの色の濃度が変化するレンズです。紫外線量が多い晴れた日中では、レンズの色が濃くなり、紫外線量が少ない夜間などではレンズ色が薄くなります。行動時間が長い縦走登山や自転車の長距離走行などに適したレンズです。

○紫外線を遮断するガラスなどで覆われた車内では濃度変化の機能は十分に発揮されません。

- ○レンズの濃度変化は気温の影響を受けます。気温が高いと発色が薄く、冬季など気温が低いと 発色が濃くなり、また淡く戻るまでに時間がかかります。
- 〇レンズの調光性能は徐々に低下します。使用の環境にもよりますが、2年程度の使用で、濃度の低下や色調の変化が生じます。これは紫外線の影響による経年劣化によるもので、修理はできません。なお、経年劣化により濃度が低下した状態でも紫外線をカットする性能は変わりません。

■ お手入れ方法 間違ったお手入れ方法や保管方法は本製品の寿命を縮めます。 使用後や保管時は以下の点を参考にしてください。

○レンズに水、海水、汗、化粧品等がついた状態で放置すると、変質の原因となります。使用後はレンズを 水で軽く洗い流し、柔らかい布などを押し当てるようにして水分を吸い取ったあと、自然乾燥してください。

○レンズに曇り止め液・撥水液・クリーナーなどは塗らないでください。曇り止め効果が損なわれる恐れがあります。市販されている曇り止め液の中には、レンズを傷めるものもあります。

■ 保管方法

○高温多湿な場所に保管しないでください。レンズのコーティング剥離の原因となる恐れがあります。

- ○本製品を保管する際は付属のケースに収納し、保管中や携行中に硬いもの(金属品、ファスナー等)が レンズに直接触れないようにしてください。レンズに傷がつく原因となります。
- ○長時間外圧を加えると変形する場合があります。無理な状態で携行、保管しないでください。変形する恐れがあります。

○暖房器具の近くや車の中など、気温の高いところに置かないでください。変形する恐れがあります。

Warranty

Montbell's warranty covers all defects in materials and workmanship to the original owner, for the lifetime of the product. If a product ever fails due to a manufacturing defect, Montbell will repair or replace the product at our discretion. This warranty does not cover damage(s) caused by accident, improper care, negligence, misuse, alterations or normal wear and tear. Damage(s) not covered under warranty will be repaired at a reasonable rate. If you would like to make a warranty inquiry, please contact Montbell Customer Service or the store of original purchase.

mont.bell User's Manual Stream Glasses Series

Stream Glasses Series

Thank you for purchasing this product. Before using, please carefully read this manual for instructions on the proper care and usage of this product.

If you have any questions regarding this product, please contact Montbell Customer Service or the store of original purchase. Keep this manual for future reference.

Specifications

Material

(Frame) Nylon resin (Lens) Polycarbonate + Triacetate (Ear Pad/Nose Pad) TPU (Semi-hard Case) E.V.A. (Soft Case) Polyester

Optional Accessories —

Temple Hook

Description

Lightweight sunglasses with a large single lens provide a wider range of vision and help reduce exposure to wind. Offers up to 5 times better anti-fogging performance compared to a standard anti-fogging coating. The frame is patterned to better fit persons with a shallow nose bridge and higher cheekbones and the nose pads have 2 levels of adjustment for improved comfort.

Components

44-3316-1906



1

All product specifications and design are subject to change without prior notice. Actual product specifications may vary.

mont-bell Co.,Ltd. 2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN www.montbell.com **4**

Safety Warnings! Please read carefully.

WARNING! Under certain conditions, use of this product can result in injury, death, or property damage.

- ○This product is designed to protect eyes from the harmful effects of the sun's ultraviolet light, snow and wind. This product does NOT protect the eyes from impacts.
- ○Visibility can be affected during twilight hours and in tunnels depending on the lens color. Take extra caution when driving.
- \bigcirc The photochromic lens takes time to transition from dark to light.
- ○The color and ability of the lens to darken may be affected by your car's windshield depending on how it filters ultraviolet light.
- ○Prior to use, check the product's condition and stop using immediately if you notice any damage or irregularities.

A CAUTION!

Under certain conditions, use of this product can result in injury or property damage.

- OMake sure that the glasses are in equal contact with the nose, temples and ears. Always take off and put on glasses with both hands. Using one hand may break glasses.
- $\bigcirc {\sf To}$ prevent deforming and damage to the glasses, do NOT store in a car or places subject to temperature extremes.
- ○To prevent damage to the glasses, do NOT store with hard or metal objects or in any place that may possibly scratch the lenses.
- \bigcirc The inner lens is coated with a hydrophilic anti-fog coating. Wiping the lens too strongly when wet may damage the lens.
- $\bigcirc \mathsf{Do} \ \mathsf{NOT} \ \mathsf{use} \ \mathsf{glasses}$ for extreme physical activities, glasses may cause injury to eyes or face.
- $\bigcirc\ensuremath{\mathsf{To}}$ prevent eye damage, do NOT look directly at the sun or strong lights.
- $\bigcirc \ensuremath{\mathsf{Stop}}$ using immediately if you notice an allergic reaction.
- $\bigcirc\ensuremath{\mathsf{To}}$ prevent damaging the lenses, always set the glasses down with lenses facing up.
- \bigcirc To prevent deforming and damage to the glasses, do NOT expose to organic solvents such as paint thinner or alcohol.
- $\bigcirc\ensuremath{\mathsf{W}}\xspace^{-1}$ below the storing for an extended period of time, store in the case.
- ODo NOT spray the lens with anti-fogging, water repellant or cleaning agents. These can damage the lens and negatively affect the performance of anti-fog coating.
- $\bigcirc \ensuremath{\mathsf{Please}}$ follow proper care and storage instructions.

Prior to use, inspect this product for

 \Box Cracks in lenses or frame.

Directions

\bigcirc Adjusting angle of nose pads

The nose pad can be set to two positions to set a comfortable fit.



\bigcirc Soft case

The soft case can also be used to clean the lenses.

Photochromic lenses (Stream Glasses BC)

Photochromic lenses transition from light to dark color based on exposure to ultraviolet light. The lens color will darken in bright sunlight and become lighter when there is less ultraviolet light, such as during dusk or night. These glasses are especially well suited for trekking and long distance biking.

 \bigcirc The ability of the lens to darken is affected by UV coatings on cars or when inside buildings.

- ○The ability of the lens to darken is affected by temperature. Generally, the lens will be darker in lower temperatures and will take longer to transition back to a lighter color.
- Over time the color and ability of the lens to darken will be degraded (generally in about 2 years of use). This is a natural deterioration due to exposure to ultraviolet light and not repairable. The UV protection performance of the lens remain unaffected even after losing its ability to turn dark.



Improper care and storage of this product can shorten its lifespan. Follow the recommendations below to extend the lifespan of your product.

ODo NOT allow the glasses to remain dirty after coming into contact with fresh water, salt water, sweat or makeup. After use, lightly washing the glasses with water and use a soft cloth to remove excess water, then allow to air dry.

ODo NOT spray the lens with anti-fogging, water repellant or cleaning agents. These can damage the lens and negatively affect the performance of anti-fog coating.

Storage

 $\bigcirc \mbox{High}$ heat and high humidity can cause the lens coating to peel.

- $\bigcirc {\sf To}$ prevent deforming and damage to the glasses, do NOT store in a car or places subject to temperature extremes
- \bigcirc Do NOT apply pressure to the glasses for long periods of time. Be careful when carrying glasses around with you and when storing.
- $\bigcirc \ensuremath{\mathsf{S}}\xspace$ Store in a well ventilated, cool, dry place away from direct sunlight.