mont-bell

取扱説明書

プロテクション ロガーパンツ

Protection Logger Pants


この度はお買いあげいただき、誠にありがとうございます。この取扱説明書(以下「本説明書」といいます)は本製品の正しい取扱方法を説明しています。ご使用の前に本説明書をよくお読みいただき、正しい使用方法をご確認ください。

ただし、本説明書は本製品の基本的な使用方法を示すものでありチェーンソーを使用する際の安全システム全体を解説するものではありません。安全な条件のもとで十分な練習を行い、正しい使用方法を習得してください。なお、ご不明な点等ございましたら、販売店もしくは(株)モンベル カスタマー・サービスまでお問い合わせください。本説明書は大切に保管してください。

■ 特長


本製品は登山用ウエアで培われた素材や機能を元に作られたチェーンソー用防護パンツです。表地に軽量 ながら引き裂き強度に優れた生地を使用し、背面に蒸れにくくするベンチレーションを備えています。また、 本製品はヨーロッパ規格の安全基準を満たしています。

■ 各部の名称



■ 試験規格と防護範囲

- ○規格 EN381-5 1995 デザイン A 防護クラス 1
- ○規格で定められている防護部分はパンツの脚部分の前側全体と、着用者から見て左脚外側の脇線と右脚内側の内線のそれぞれから 50mm 出たところまでと、股下部分から 200mm 上部までです。本製品の防護部分は次ページの図の部分になります。



○本製品に付いている右図のマークは、国際基準 (ISO7000) で定められたチェーンソーに対する防護性能を示しています。秒速 20mとはおおよその目安として 50cc クラスのチェーンソーを全開にして木を切断している時のチェーンスピードに相当します。



■ 安全上の注意 ぶずお読みください

↑ 危険 人が死亡または重傷を負う危険が差し迫って生じることが想定される内容です。

- ○チェーンソーを使用する際の個人用防護具(本製品)は、あらゆる傷害に対して完全な防護はできません。 防護の程度は、様々な要因(チェーンソーの速度、エンジントルク、ガイドバーと保護材との衝突角度、立っているのかうずくまっているのかの作業姿勢など)により変わります。防護できる機能や範囲をよく理解したうえでご使用ください。
- ○チェーンソーの不適切な使用は事故につながります。使用者は、関係当局(厚生労働省など)とチェーンソー本体の取扱説明書で指定された安全な使用方法を遵守してください。
- ○本製品はヨーロッパ規格 (EN381-5) の安全基準に適合したチェーンソー防護服です。その他の用途 (刈 払機など) には使用しないでください。

- ○本製品はチェーンソーの刃があたると中の保護材の繊維の束が引き出されチェーンソーの駆動軸に巻き付き、チェーンソーの回転を止め、脚部が切れることを防ぎます。チェーンソーの刃があたり、本製品の中の保護材が飛び出した場合は、直ちに本製品の使用を中止してください。一度保護材が出ると、再度チェーンソーがあたった際に保護材が足りず、防護効果が十分に発揮されなくなります。
- ○本製品の損傷を防ぐために酸、油、溶剤、燃料、動物の糞や、チェーンソーの刃、とげ、金属工具などの鋭利なものが接触しないようにしてください。
- ○極端に高温な排気や熱 (火、オーブンなど) に本製品を近づけないでください。

- ○本製品は定期的なお手入れが必要です。本製品を毎日使用して頻繁に汚れる場合は、毎週洗濯をして ください。
- ○汚れがひどい場合は使用後すぐに洗濯してください。樹液、チェーンソーオイル、燃料の汚れは本製品の 機能性に悪影響を及ぼす恐れがあります。
- ○市販の洗剤を使っても汚れが落ちない場合は、洗剤に脱脂剤(石鹸)を追加してください。
- ○本製品の防護機能を維持するために洗濯後、自然乾燥した後に元の形状に引っ張って形を整えてくださ (1)
- ○高温での洗濯やタンブル乾燥はお避けください。本製品の防護機能を低下させ、本製品が収縮する恐 れがあります。
- ○内側の保護材を縫製して縫い止めないでください。本来の防護効果がなくなる恐れがあります。
- ○本製品を改造したり、裾上げしないでください。本来の防護効果がなくなる恐れがあります。
- ○内側の保護材を仕立て直さないでください。本来の防護効果の低下や防護効果がなくなる恐れがありま す。
- ○本製品への刺繍やワッペンの縫い付けなどの装飾は避けてください。本来の性能が発揮できない恐れが あります。
- ○内側の保護材が破損した場合や、何らかの方法で変更された場合は絶対に使用しないで、交換してくだ
- ○使用方法をご覧のうえ、ご自身に合ったサイズをご使用ください。正しいサイズを使用しないと本来の性 能が発揮できない恐れがあります。
- ○使用前に毎回必ず点検をしてください。老朽化が認められる場合や損傷が認められたり、疑わしい場合 は直ちに本製品の使用を中止してください。本来の性能が発揮できない恐れがあります。
- ○正しいお手入れ方法、保管方法を守ってください。

注意 人が傷害を負ったり物的損害の発生が想定される内容です。

○本製品は通常の使用では人体に及ぼす影響はありません。しかし、炎天下や気温が高い時期での着用 の際は熱中症にご注意ください。通気性を確保するベンチレーションを備えていますが、構造上熱がこも りやすくなっています。

■ 使用前の点検

使用にあたっては、毎回必ず次のことを確かめてください。

□表生地に破れなどの損傷がないか

□中の保護材に損傷がないか

■ 使用方法

- ○サイズを選ぶ際は、作業時に動きを妨げないサイズを選んでください。また、本製品が木などに引っ掛かる 恐れがあるような大きいサイズを選ばないでください。
- ○本製品は通常の服のように脱ぎ着できます。使用者は本製品が正しくフィットしているか、必ず確認してく ださい。
- ○チェーンソーを持つ際は、必ずチェーンソー本体の取扱説明書にある適切な持ち方をしてください。不適 切な持ち方をすると、本製品の防護部位が十分に発揮できない恐れがあります。
- ○使用中ずれないように腰ベルトをしっかりと締めてください。
- ○付属の腰ベルトは必要に応じて取り外すことができます。
- ○本製品はすそのばたつきを抑えたいときにお使いいただけるサムエシステムを備えています。

■ アクセサリーおよびスペアパーツ

○別売のアクセサリー、スペアパーツはありません。※本製品は特性上、修理できません。

- お手入れ方法 使用後や保管時は以下の点を参考にしてください。
- ○洗濯機を使用する際は40度以下の水で弱流で洗ってください。
- ○アイロンは使用しないでください。 ○日陰で吊り干しをしてください。
- ○塩素系及び酸素系漂白剤は使用しないでください。 ○ドライクリーニングや乾燥機は使用できません。
- ○中の保護材が偏らないようにしてください。

■ 保管方法

- ○本製品は、通常の衣服のように収納してください。特別な収納方法は必要ありません。
- ○乾燥した風通しのよい屋内で保管してください。
- ○高温や高い湿度、紫外線などを避けて保管してください。

■ 耐用年数

○本製品の保護材の強度は時間の経過によって低下します。 林業等の作業で使用される場合は通常のご 使用、お手入れ、保管をされた場合で最初の使用から1~1.5年、使用頻度が低い場合でも5年です。 いずれの場合も約25回の洗濯が目安です。使用状況によりさらに短くなる可能性があるため、早めに買 い替えてください。また、次の要因はさらに本製品の劣化を早めます。

化学薬品との接触・高温下での使用・長期間の紫外線の曝露・摩滅・切断など・不適切な保管 方法またはお手入れ方法

■ 廃棄方法

○本製品を使用しなくなった場合は、以後使用されることが無いように表地を切るなどして廃棄してください。 ○廃棄方法はお住まいの自治体の収集方法に従ってください。

■ アフターサービス

お買い求めいただきました本製品は万全を期して製造しておりますが、万一不備な点がございましたら、お買 い求めいただいた販売店、もしくは下記の弊社窓口までご連絡ください。

製造上の欠陥による不具合の場合は無償で交換させていただきます。なお、交換の要否につきましては、 弊社の裁量にて判断させていただきます。

本製品は特性上、修理できません。表地の破れ、中の防護材が飛び出した場合など損傷が認め られたり疑わしい場合は直ちに使用を中止してください。

なお、以下のような原因での破損、不良につきましては保証いたしませんのでご了承ください。

- ○本製品の誤った使用方法によるもの
- ○間違ったお手入れ、保管方法、経年変化による素材劣化
- ○乱暴な取り扱いによるもの
- ○その他、製造上の欠陥以外の原因によるもの

■ 仕様

認 証: CE EN381-5 K-EG-2016/7856 番:1132140 認証機関: Address of the test facility:

名: プロテクション ロガーパンツ

DPLF Deutsche Prüf- und Zertifizierungsstelle 材:前身 ナイロン 100% für Land- und Forsttechnik Spremberger Str. 1 後身 ポリエステル 100% 64823 Gross-Umstadt

メッシュライニング ポリエステル 100% 保護材 ポリエステル 42%、ポリエチレン37%、

Tel. +49 (0) 6078 / 785-0 Fax. +49 (0) 6078 / 785-39

ポリプロピレン 21% XS サイズ:

M-S I-S XI-S XL 囲 68-72cm 72-76cm 76-81cm 81-87cm 87-93cm 76-81cm 81-87cm 87-93cm 股の高さ 68-73cm 71-76cm 74-79cm 77-82cm 80-85cm 68-73cm 71-76cm 74-79cm

重 量:1.17kg(Mサイズ)※サイズに応じて重量は異なります。

■ その他

- ※本製品に使用している材料は、有害な反応を引き起こす物質は含有していません。
- ※本製品の仕様、デザインは予告なく変更されることがあります。また、重量などのスペックには誤差が生じる場合があります。

株式会社 モンヘット 本社 〒550-0013 大阪市西区新町2-2-2 Tel, 06-6531-3544 フリーコール: № 0088-22-0031 商品についてのお問い合わせはカスタマー・サービスまで モンベルホームページ https://www.montbell.jp/ 44-2249-2107 4

mont-bell

User's Manual

Protection Logger Pants

Protection Logger Pants

Thank you for purchasing this product. Before using, please carefully read this manual for instructions on the proper care and usage of this product.


Please understand this manual only explains how to use the product and adjust fit and does not go into detail regarding using the product safely or safe chainsaw usage. You are personally responsible for learning the proper techniques and safety procedures for using this product.

If you have any questions regarding this product, please contact Montbell Customer Service or the store of original purchase. Keep this manual for future reference.

■ Description

These chainsaw protective pants are designed based on materials and features found in outdoor clothing. The outer fabric is lightweight yet has excellent abrasion resistance, while the back side of the pants has ventilation for releasing built up heat. This product conforms to the European Standard.


■ Components



Standard and Range of Protection

- OEN 381-5:1995 Protective clothing for users of hand-held chain saws. Requirements for leg protectors. Type A Class 1
- OIn accordance with the European Standard, the area of cut protection fabric for these pants is as follows: the entire front of the pants, including 50 mm to the exterior of the left leg, 50mm to the interior of the right leg and 200mm above the top of the inseam.

See the next page for a visual representation of the area of cut protection fabric.



The pictogram according to ISO 7000 indicates that this product provides cut protection against chainsaws. Class 1: chain speed of 20m/s, equivalent to the speed of a 50cc chainsaw operating at full speed when cutting wood.



Safety Warnings!

Please read carefully.



Under certain conditions, use of this product can result in major injury or death.

chainsaw. The degree of protection depends on a large number of factors (for example chainsaw speed, engine torque, angle of impact between guide bar and fabric, working posture crouched/standing, etc.) It is important to understand the limitations of your personal protective equipment before using them in real world applications.

OPersonal protective equipment cannot provide absolute protection against injuries when using a

- Olmproper chainsaw use can lead to accidents. Users must observe safety regulations specified by the relevant authorities (i.e. Department of Environment) and the safety advice given in the chainsaw owner's manual.
- This product is in accordance with EN381-5, the European Standard for Protective clothing for users of hand-held chain saws, Requirements for leg protectors. It is NOT suitable for use with other types of hand-held machinery (such as yard trimming devices).

WARNING!

Under certain conditions, use of this product can result in injury, death, or property damage.

- This personal protective equipment works to protect the user's leg in the following way. When a chainsaw's moving chain cuts the outer fabric of the pants, the chain draws out and pulls the cut protection fabric on the inside of the pant into the chainsaw's drive sprocket, locking it in place and stopping the chain, thus limiting damage to the operator's leg. After coming into contact with a chainsaw's chain, STOP further use immediately. Any damage to the cut protection fabric ruins the pants' protective effect.
- Avoid any contact with sharp or pointed objects (saw chain, thorns, metal tools, etc.) or substances such as acids, oil, solvents, fuel, animal feces, etc. to prevent damaging the material.
- On ont expose pants to extremely hot objects (exhaust, etc.) or other sources of heat (fire, ovens, etc.).
- OProtective clothing requires special care and should be cleaned on a regular basis. Weekly cleaning is recommended if the pants are used daily and are moderately dirty.

Oclean the pants immediately after heavily soiling. Resin, oil and fuel stains can reduce or ruin the pants' protective effect.	■ Storage
Owash using a commercial detergent. Add a degreasant (soap) to the detergent in case of heavy	OThere are no special storage requirements. Store as normal.
soiling.	○Store indoors in a well-ventilated, cool, dry place. ○Avoid high temperature, high humidity and exposure to ultraviolet light.
○To preserve the pants' protective effect, pull it into its original shape after washing and then air dry. ○Do NOT wash on high temperatures or tumble dry. May cause shrinkage and reduce or ruin the	Avoid high temperature, high humidity and exposure to diffaviolet light.
pants' protective effect.	■ Lifespan
ODo NOT sew into the cut protection fabric. Altering the cut protection fabric ruins the pants'	-
protective effect. Do NOT perform modifications or alterations to the pants. May ruin the pants' protective effect. Do NOT perform modifications or alterations to the cut protection fabric. May ruin the pants' protective effect. Do NOT embroider or sew patches into the pants. May ruin the pants' protective effect. Do NOT use the pants' if the cut protection fabric has been damaged or altered in any way. Replace pants. After reading the directions, choose an appropriate size. Poorly-fitting pants may reduce or ruin the pants' protective effect.	○The cut protection fabric's durability will diminish with regular use. If used, cared for and stored correctly, the typical lifespan of this product is 1 to 1.5 years for daily professional use and up to 5 years for periodic use. Regardless, this is based on at least 25 mandatory wash cycles after wearing. However this also depends on the amount and conditions of use. Frequent use will diminish the pants' lifespan, requiring replacement sooner. The pants' lifespan is also affected by the following: Exposure to chemicals – Use during hot weather – Extended exposure to ultraviolet light – Abrasion – Sharp edges – Improper care and storage
OPrior to use, check the pants' condition and stop using immediately if you notice or suspect any damage, aging or irregularities. The pants' protective effect may be reduced or ruined. OPlease follow proper care and storage instructions.	■ Disposal
Chicago folion proper care and delrage mediacione.	When the pants have reached the end of their usable lifespan and can no longer be used,
Language Under certain conditions, use of this product can result in injury or property damage.	destroy the pants to ensure they can never be used again, for example by shredding the fabric. Please follow local regulations regarding waste disposal.
OBe careful of heatstroke during particularly hot and sunny weather. Due to the pants' inherent design, it will easily trap heat even with ventilation at the back of the pants.	■ Warranty
	Montbell's warranty covers all defects in materials and workmanship to the original owner, for the
■ Prior to use, inspect this product for:	lifetime of the product. If a product ever fails due to a manufacturing defect, Montbell will replace
Damage or irregularities with the outer fabric	the product at Montbell's discretion. If you would like to make a warranty inquiry, please contact Montbell Customer Service or the store of original purchase.
□Damage or irregularities with the cut protection fabric	
■ Directions	This product is NOT repairable due to its characteristics as personal protective equipment. If any damage occurs such as tears in the outer fabric or cut protection material coming loose, stop using the product immediately.
OWhen choosing an appropriate size, make sure that the pants do not interfere with movement.	The warranty does not cover damage(s) or defects caused under the following circumstances:
Also, do NOT choose an overly large size as extra fabric may catch on objects. Pants can be put on and taken off as usual. User must make sure pants fit properly. When operating a chainsaw, always be sure to hold the chainsaw as detailed in the chainsaw's user's manual. Improper operation of the chainsaw may reduce or ruin the pants' protective	 Misuse of the product ○ Rough handling of the product ○ Other causes not related to manufacturing defects
effect.	■ Specifications
○Fasten the hipbelt so the pants do not shift during use. ○If necessary, the hipbelt can be removed.	Style# : 1132140
Olf it is necessary to secure the pant cuffs, use the Samue Leg Closure System.	Name : Protection Logger Pants
■ Accessories and Spare Parts	Back: 100% Polyester Mesh Lining: 100% Polyester Cut Protection Fabric: 42% Polyester 37% Tel. +49 (0) 6078 / 785-0
OAccessories and spare parts are not available.	Cut Protection Fabric: 42% Polyester 37% Polyethylene, 21% Polypropylene Tel. +49 (0) 6078 / 785-0 Fax. +49 (0) 6078 / 785-39
**This product is NOT repairable due to its characteristics as personal protective equipment.	Size : XS S M L XL M-S L-S XL-S Waist 68-72cm 72-76cm 76-81cm 81-87cm 87-93cm 76-81cm 81-87cm 87-93cm
Improper care and storage can shorten the lifespan of this product. Follow the recommendations below to extend the lifespan of your product.	Inseam 68-73cm 71-76cm 74-79cm 77-82cm 80-85cm 68-73cm 71-76cm 74-79cm Weight : 1.17kg (M size) *The weight depends on the size.
OMachine wash on gentle with water below 40°C.	This product does not utilize any types of materials known to cause allergic reactions.
Obo NOT iron. Obo NOT use chlorine-based or peroxide-based bleaches. Obo NOT dry clean or tumble dry.	All product specifications and design are subject to change without prior notice. Actual product specifications may vary. mont-bell Co.,Ltd.
ODo NOT allow cut protection fabric to shift or clump inside of pants.	2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN https://www.monthell.com/

2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN https://www.montbell.com/