■ 保管方法

- ○風通しがよく、湿度が高くならない場所で、直射日光を避けて保管してください。変形や損傷の原因になります。
- ○火のそばや暖房器具のそばなどの高温になるところに置かないでください。変形や損傷の原因になります。
- ○購入時の袋に入れて保管しないでください。カビの原因になります。

■ 交換の目安

- ○本製品の性能が正しく発揮できないため、次の場合は新しいものに交換してください。
 - 縫い目のほつれがある
- 生地が破れている
- ○使用状況により次の要因はさらに本製品の劣化を早める可能性があるため、早めに交換してください。 化学薬品との接触・高温下での使用・長期間の紫外線の曝露・摩滅・切断など・不適切な保管 方法またはお手入れ方法

■ 廃棄方法

- ○本製品を使用しなくなった場合は、以後使用されることが無いように表地を切るなどして廃棄してください。
- ○廃棄方法はお住まいの自治体の収集方法に従ってください。

■ アフターサービス

お買い求めいただきました本製品は万全を期して製造しておりますが、万一不備な点がございましたら、お買い求めいただいた販売店、もしくは下記の弊社窓口までご連絡ください。

製造上の欠陥による不具合の場合は無償で交換させていただきます。なお、修理、交換等の要否につきましては、弊社の裁量にて判断させていただきます。

なお、以下のような原因での破損、不良につきましては保証いたしませんのでご了承ください。

- ○本製品の誤った使用方法によるもの
- ○間違ったお手入れ、保管方法、経年変化による素材劣化
- ○刮.暴な取り扱いによるもの
- ○その他、製造上の欠陥以外の原因によるもの

破損時は弊社にて診断をして、修理が可能な場合はご要望により有償にて修理をさせていただきます。

■ 仕様

品 番: 1132173

名: プロテクション ロガーグローブ

素 材: (本体)ポリエステル 100% (掌)やぎ革

(保護材)ポリエステル 42%、ポリエチレン 37%、ポリプロピレン 21%

■ その他

※本製品の仕様、デザインは予告なく変更されることがあります。また、重量などのスペックには誤差が生じる場合があります。

##式会社 モンペル 本 社 〒550-0013 大阪市西区新町 2-2-2 Tel. 06-6531-3544 フリーコール: ⑥ 0088-22-0031 商品についてのお問い合わせはカスタマー・サービスまで モンベルホームページ http://www.montbell.jp

mont-bell

取扱説明書

プロテクション ロガーグローブ

Protection Logger Gloves

この度はお買いあげいただき、誠にありがとうございます。この取扱説明書(以下「本説明書」といいます)は本製品の正しい取扱方法を説明しています。ご使用の前に本説明書をよくお読みいただき、正しい使用方法をご確認ください。


ただし、本説明書は本製品の基本的な使用方法を示すものでありチェンソーを使用する際の安全システム 全体を解説するものではありません。安全な条件のもとで十分な練習を行い、正しい使用方法を習得してく ださい。なお、ご不明な点等ございましたら、販売店もしくは(株)モンベル カスタマー・サービスまでお問い 合わせください。本説明書は大切に保管してください。

■ 特長

本製品は優れた操作性と防護性を両立させたチェンソー用防護手袋です。左手甲側にチェンソーの刃から手を守る特殊保護材を挿入しています。甲側と手のひら側で素材を使い分け、快適な装着感と優れた操作性を実現しています。

切断に対する防護性能は国際規格 デザインA 防護クラス1 (JIST8125-4相当) に準拠しています。

■ 各部の名称




※イラストはイメージです。

■ 試験規格と防護範囲

- ○後述の使用方法をご覧のうえ、ご自身に合ったサイズをご使用ください。正しいサイズを使用しないと本来 の性能が発揮できない恐れがあります。
- ○チェンソー防護性能

切断に対する防護性能は国際規格 デザインA 防護クラス1(JIST8125-4 相当) に準拠しています。

○規格で定められている防護部分は、指を除く甲側に幅が最低 110 mm、最高点での高さが最低 120 mm です。本製品の保護材は下図の部分です。チェンソーの刃が当たる可能性の高い左手に保護材を挿入しています。



単位 (mm) : 保護材の範囲

※左手甲側のみ。

※右手側には保護材は挿入していません。

■ 安全上の注意 必ずお読みください

↑ 危険 人が死亡または重傷を負う危険が差し迫って生じることが想定される内容です。

- ○本製品は、保護材挿入部分以外は防護性能を備えていません。
- ○チェンソーを使用する際の個人用防護具 (本製品) は、あらゆる傷害に対して完全な防護はできません。 防護の程度は、様々な要因 (チェンソーの速度、エンジントルク、ガイドバーと保護材との衝突角度、立って いるのか、うずくまっているのかの作業姿勢など) により変わります。防護できる機能や範囲をよく理解した うえでご使用ください。
- ○チェンソーの不適切な使用は事故につながります。使用者は、関係当局(厚生労働省など)とチェンソー本体の取扱説明書で指定された安全な使用方法を遵守してください。
- ○本製品の切断に対する防護性能は、国際規格 デザインA 防護クラス1 (JIS T8125-4 相当) に準拠しています。その他の用途(刈払機など)に使用しないでください。

全等性 場合により人が死亡または重傷を負う可能性が想定される内容です。 軽傷または物的損害が発生する頻度が高いことが想定される内容です。

- ○本製品の損傷を防ぐために酸、油、溶剤、燃料、動物の糞や、チェンソーの刃、とげ、金属工具などの 鋭利なものが接触しないようにしてください。
- ○極端に高温な排気や熱 (火、オーブンなど) に本製品を近づけないでください。
- ○本製品は定期的なお手入れが必要です。本製品を毎日使用して頻繁に汚れる場合は、品質表示のお手入れ方法に沿って行ってください。

- ○正しいお手入れ方法、保管方法を守ってください。誤ったお手入れや保管方法を行うと、本来の性能を 発揮できない恐れがあります。
- ○汚れがひどい場合は使用後すぐにお手入れしてください。樹液、チェンソーオイル、燃料の汚れは本製品 の機能性に悪影響を及ぼす恐れがあります。
- ○内側の保護材が破損した場合や、何らかの方法で変更された場合は絶対に使用しないで、製品を交換してください。
- ○使用前に毎回必ず点検をしてください。老朽化が認められる場合や損傷が認められたり、疑わしい場合は直ちに本製品の使用を中止してください。本来の性能が発揮できない恐れがあります。
- ○衝撃や圧迫を受けた本製品は、外観の如何に関わらず、使用しないでください。
- ○万一かゆみ、かぶれなど足に異常を生じた際は、直ちにご使用をやめ、医師に相談してください。
- ○本製品の改造や分解などは絶対にしないでください。性能が損なわれ、十分に機能が発揮できない恐れがあります。
- ○インナーグローブやオーバーグローブなどと重ねて装着しないでください。本来の性能を発揮できない恐れがあります。

注意 人が傷害を負ったり物的損害の発生が想定される内容です。

- ○表地の破れなどがある場合は直ちに使用を中止してください。
- ○経年劣化は使用中に突発的に起こる可能性が高く、事故の原因にもなる可能性があります。ご使用前は異常がないことを点検してください。
- ○本製品は濡れている状態で使用しないでください。本来のグリップ力が発揮できない恐れがあります。

■ 使用前の点検

使用にあたっては、毎回必ず次のことを確かめてください。 異常が見られた場合は使用しないでください。

一縫い目のほつれがないか

□生地の破れがないか

■ 使用方法

- ○サイズを選ぶ際は、作業時に動きを妨げないサイズを選んでください。また、指先に余りがあるような大きい サイズを選ばないでください。
- ○手首部分は、ベルクロでフィット感を調節してください。
- ○チェンソーを持つ際は、必ずチェンソー本体の取扱説明書にある適切な持ち方をしてください。不適切な持ち方をすると、本製品の防護部位が十分に発揮できない恐れがあります。

■ お手入れ方法 間違ったお手入れ方法や保管方法は本製品の寿命を縮めます。 使用後や保管時は以下の点を参考にしてください。

本製品は定期的なお手入れが必要です。汚れを放置すると経年劣化が進む恐れがあります。

- ○中性洗剤を使用して押し洗いをしてください。
- ○多少色落ちする場合がありますので、他のものと分けて洗ってください。
- ○皮革は濡れると縮むことがあり、乾くと若干風合いが硬くなることがあります。
- ○湿った状態で他の布地と摩擦すると色落ちいたしますのでご注意ください。
- ○濡れたままで長時間ほかのものと一緒に置いておくと、色が移る恐れがありますのでご注意ください。
- ○乾燥させる際は乾燥機、アイロン、ドライヤー、ストーブは使用しないでください。
- ○表地の破れなどがある場合は下記のカスタマー・サービスまでご相談ください。 ただし、中の保護材が飛び出した場合や、チェンソーに絡まった場合は修理できません。

Storage

- Store in a well ventilated, cool, dry place. The improper storage methods can cause these boots to deteriorate quickly. Do NOT store at the following places:
- In the original plastic bag at the time of purchase.
- In any area that receives exposure from direct sunlight.
- •In a car trunk or other area subject to high temperatures.

■ Lifespan of Product

- ORequire immediate replacement when the product is damaged as described below.
 - · Damage or irregularities with the outer fabric
 - · Damage or irregularities with the cut protection fabric
- Require replacement soon when the product is affected by the following.
 Exposure to chemicals Use during hot weather Extended exposure to ultraviolet light Abrasion Sharp edges Improper care and storage

Disposal

- When the product has reached the end of its lifespan and must be retired, destroy the product to ensure it can never be used again, for example by cutting the fabric.
- OPlease follow local regulations regarding waste disposal.

■ Warranty

Montbell's warranty covers all defects in materials and workmanship to the original owner, for the lifetime of the product. If a product ever fails due to a manufacturing defect, Montbell will repair or replace the product at our discretion. This warranty does not cover damage(s) caused by accident, improper care, negligence, misuse, alterations or normal wear and tear. Damage(s) not covered under warranty will be repaired at a reasonable rate. If you would like to make a warranty inquiry, please contact Montbell Customer Service or the store of original purchase.

Specifications

Style#:1132173

Name: Protection Logger gloves

Material: (Body) 100%polyester (Palm) goatskin

(Protective material) 42% polyester 37% polyethylene 21% polypropylene

All product specifications and design are subject to change without prior notice. Actual product specifications may vary.

mont·bell Co.,Ltd.

2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN www.montbell.com

4

44-3336-1906

mont-bell

User's Manual

Protection Logger Gloves

Protection Logger Gloves

Thank you for purchasing this product. Before using, please carefully read this manual for instructions on the proper care and usage of this product.

Please understand this manual only explains how to use the product and adjust fit and does not go into detail regarding using the product safely or safe chainsaw usage. You are personally responsible for learning the proper techniques and safety procedures for using this product.


If you have any questions regarding this product, please contact Montbell Customer Service or the store of original purchase. Keep this manual for future reference.

■ Description

These protective gloves provide outstanding handling and protection. Special protective material is inserted into the back of the left hand to protect the hand from the chainsaw blade. Using different materials for the back of the hand and the palm, result in a feeling of wearing comfort and outstanding handling.

This Glove fulfils the cutting test of international standard (Type A Class 1) and Japanese safety standard (Equivalent to JIS T8125-4).

Components



*Illustration, Actual product may vary.


Standard and Range of Protection

Ochoose the right size of gloves. Otherwise, it may lead to decrease in performance.

Ocut protection against chainsaws.

This Glove fulfils the cutting test of international standard (Type A Class 1) and Japanese safety standard (Equivalent to JIS T8125-4).

The protective section stipulated by the standards is of a minimum of 110 mm in width and at the highest point of a minimum of 120 mm in height on the back of the hand excluding the fingers. The protective material of this product is the section in the diagram below. Protective material is inserted into the left hand which has a high possibility of coming in contact with the chainsaw blade.



Safety Warnings!

Please read carefully.

<u>!\</u> Danger!

Under certain conditions,

use of this product can result in major injury or death.

OProtective material is inserted into the back of left hand only.

- OPersonal protective equipment cannot provide absolute protection against injuries when using a chainsaw. The degree of protection depends on a large number of factors (for example chainsaw speed, engine torque, angle of impact between guide bar and fabric, working posture crouched/standing, etc.) It is important to understand the limitations of your personal protective equipment before using them in real world applications.
- Olmproper chainsaw use can lead to accidents. Users must observe safety regulations specified by the relevant authorities (i.e. Department of Environment) and the safety advice given in the chainsaw owner's manual.
- OThis Glove fulfils the cutting test of international standard (Type A Class 1) and Japanese safety standard (Equivalent to JIS T8125-4). Do NOT use this product for other purposes (e.g. yard trimming devices).



Under certain conditions.

use of this product can result in injury, death, or property damage.

- Avoid any contact with sharp or pointed objects (saw chain, thorns, metal tools, etc.) or aggressive substances such as acids, oil, solvents, fuel, animal feces, etc. to prevent damaging the material.
- On NOT expose boots to extremely hot objects (exhaust, etc.) or other sources of heat (fire, ovens, etc.).
- This product requires regular maintenance. Please follow recommended care instructions especially when frequent cleaning is needed.

○Prior to use,	check the	product's	condition	and stop	using	immediately	if you	notice a	any (damag
or irregulariti	es.									

- Clean the gloves immediately after heavy soiling. Resin, oil and fuel stains can reduce or ruin the gloves' protective effect.
- OStop using this product when the protection materials are damaged or altered.
- Please follow recommended care and storage instructions. Improper care and storage can lead to decrease in performance.
- Olf the product receives a strong or significant impact, stop using the product immediately, even when the outer appearance shows no signs of damage.
- Olf itching or rash develops, stop using these gloves immediately and seek medical attention.
- ODO NOT perform modifications or alterations to the gloves. May ruin the gloves' protective effect.
- On NOT wear inner gloves or outer gloves, etc., one on top of the other. This may negatively affect the product's intended performance.

A CAUTION!

Under certain conditions,

use of this product can result in injury or property damage.

- OStop using immediately when you notice any irregularities or damage on the gloves.
- There is a high possibility of deterioration over time occurring suddenly during use, and this could also lead to an accident. Please check that there are no abnormalities in the product before use.
- ODo NOT use when glove is wet. May cause of loosing the gripping.

■ Prior to use, inspect this product for:

- ☐ Damage or irregularities with the outer fabric
- ☐ Damage or irregularities with the cut protection fabric

Directions

- OWhen choosing a size, choose one that does not interfere with your movements while working. Also, do NOT choose a large size that leaves a gap at the fingertips.
- OAdjust the fit with the velcro on the wrist.
- OWhen operating chainsaw, always be sure to hold the chainsaw as detailed in the chainsaw's user's manual. Improper operation of the chainsaw may reduce or ruin the pants' protective effect.

Care

Improper care and storage can shorten the lifespan of this product. Follow the recommendations below to extend the lifespan of your product.

This product requires periodic maintenance. Soiled gloves will degrade and age quicker.

ONEUTRAL DETERGENT ONLY.

- OWASH SEPARATELY.
- ONATURAL LEATHER WHEN WET CAN SHRINK AND BECOME SLIGHTLY STIFF AFTER DRYING.
- ODO NOT RUB WHEN WET.
- ODRY WITHOUT DELAY SEPARATELY.
- ODO NOT USE HEAT TO DRY.(TUMBLE DRYER, STOVE FIREPLACE, IRON, ETC.)
- Olf the outer fabric has been damaged, contact Customer Service. However, the cut protection fabric CANNOT be repaired after receiving any kind of damage.