

## お手入れ方法

間違ったお手入れ方法や保管方法は本製品の寿命を縮めます。使用後や保管時は以下の点を参考してください。

- 使用後は直射日光を避け自然乾燥させてください。
- 本製品が汚れた際は水かぬるま湯で洗ってください。汚れがひどい時は柔らかいスポンジか布に中性洗剤を使用し汚れを落としてください。熱湯やガソリン、シンナー、ベンジン等の溶剤や漂白剤などは使用しないでください。
- ライナー、イヤーウォーマーは取り外して、水かぬるま湯で中性洗剤を使用して手洗いで洗い、陰干ししてください。

## 保管方法と運搬方法

- 直射日光、紫外線の当たらない風通しのよい涼しい場所で保管してください。
- 直射日光に曝される車の中や火のそばなど高温となる場所に本製品を放置しないでください。
- 保管時および運搬時には、本製品の上に物を載せたり荷重しないでください。また化学薬品類や刃物や鋭利な物と接触させないでください。

## 耐用年数

- 本製品の強度は通常の使用においても時間経過によって低下します。使用状況にもよりますが、通常のご使用、お手入れ、保管をされた場合は最初の使用から5年間の目安です。使用頻度が高い場合はさらに短くなりますので早めの買い替えをお奨めします。また、次の要因はさらに本製品の劣化を早めます。

**プラスチック製部分** 化学薬品との接触・熱による影響・大きな衝撃・不適切な保管方法またはお手入れ

**繊維製部分** 化学薬品との接触・高温下での使用・長期間の紫外線の曝露・摩滅・切断など・不適切な保管方法またはお手入れ

## 廃棄方法

- 本製品を使用しなくなった場合は、以後使用されることが無いようにストラップを切るなどして廃棄してください。
- 廃棄方法はお住まいの自治体の収集方法に従ってください。

## アフターサービス

お問い合わせいただきました本製品は万全を期して製造しておりますが、万一不備な点がございましたら、お問い合わせいただいた販売店、もしくは下記の弊社窓口までご連絡ください。製造上の欠陥による不具合の場合は無償で交換させていただきます。なお、修理、交換等の要否につきましては、弊社の裁量にて判断させていただきます。なお、以下のような原因での破損、不良につきましては保証いたしませんのでご了承ください。

- 本製品の誤った使用方法によるもの
  - 間違ったお手入れ、保管方法、経年変化による素材劣化
  - 乱暴な取り扱いによるもの
  - その他、製造上の欠陥以外の原因によるもの
- 破損時は弊社にて診断をして、修理できる場合はご要望により有償にて修理させていただきます。

## 仕様

品番	1134152	表示	1	#1134152	491429902	6
品名	L.W. フォールラインヘルメット	(本体内部)	2	Light Weight Fall Line Helmet	製造年 2023	7
素材	材: (トップアウターシェル) ABS (サイドアウターシェル) ポリカーボネート (インナーシェル) 発泡ポリスチレン (ライナー) ポリエステル		3	S/M (54 ~ 57cm)	MFG. DATE 2023	8
			4	CE EN1077	470 g	9
			5	ALPINE SKIERS AND FOR SNOWBOARDERS - CLASS B, MADE IN CHINA	株式会社 モンベル mont-bell Co., Ltd. 2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN	10
サイズ	S: S/M (54 ~ 57cm), M/L (58 ~ 61cm)		1. 品番			
原産国	中国		2. 品名			
認証機関	証: CE EN 1077 : 2007 (クラスB) 関: ALIENOR CERTIFICATION		3. 対応サイズ			
	21, rue Albert Einstein ZA du Sanital 86100 CHATELLERAUT, CHATELLERAUT, FRANCE Notified Body No: 2754		4. ユーロパの個人保護具規則 (EU2016/425) の要求を満たしていることを示す CE 適合マーク			
EU適合宣言書	詳細は <a href="https://www.montbell.com/">https://www.montbell.com/</a> で確認できます。		5. スキー、スノーボード用ヘルメットの安全基準及び試験方法に対する ユーロパ規格			
			6. ロットナンバー			
			7. 製造年			
			8. 製造月			
			9. 製品重量			
			10. 製造者			

## その他

本製品の仕様、デザインは予告なく変更されることがあります。また、重量などのスペックには誤差が生じる場合があります。

株式会社 モンベル 本社 〒550-0013 大阪市西区新町 2-2-2 <https://www.montbell.jp/>  
商品についてのお問い合わせはカスタマー・サービスまで Tel.06-6531-3544 フリーコール: 0088-22-0031

mont-bell

## 取扱説明書

# L.W. フォールラインヘルメット

## Light Weight Fall Line Helmet


この度はお買いあげいただき、誠にありがとうございます。この取扱説明書（以下「本説明書」といいます）は本製品の正しい取扱方法を説明しています。ご使用前に本説明書をよくお読みいただき、正しい使用方法をご確認ください。

ただし、本説明書は本製品の基本的な使用方法を示すものであり、スキー・スノーボードの安全性全体を解説するものではありません。安全な条件のもとで十分な練習を行い、正しい使用方法を習得してください。なお、ご不明な点等ございましたら、販売店もしくは（株）モンベル カスタマー・サービスまでお問い合わせください。本説明書は大切に保管してください。

## 特長

本製品は開閉式ベンチレーションにより快適性が高く、軽量なスキー・スノーボード専用ヘルメットです。日本人の頭にフィットしやすいように設計するとともに、後頭部のダイヤルアジャスターを調節することで、頭囲に合わせて細かなフィッティングが可能です。マグネット式バックルを使用し、グローブをした状態でも着脱が容易です。また、本製品はヨーロッパ規格の安全基準を満たしています。

## 各部の名称



## 安全上の注意

必ずお読みください

**危険** 人が死亡または重傷を負う危険が差し迫って生じることが想定される内容です。

- スキー・スノーボードは常に潜在的な危険をはらんでいます。たとえ用具の正しい選択、使用、お手入れ、保管を行っていても傷害や死亡事故などに至る危険性を完全に排除することは出来ません。個人の責任においてスキー・スノーボードを行なってください。（株）モンベルでは本製品の誤った使用に起因する損害や傷害、死亡事故に対していかなる責任をも負いません。
- 本製品は、EU2016/425 ユーロパの個人保護具規則に基づき EN1077 : 2007 (クラスB) スキー・スノーボード用ヘルメットの安全基準及び試験方法に対する ユーロパ規格に適合しています。スキーやスノーボード中に頭蓋骨や頭部の一部が傷つくリスクを軽減する、スキー・スノーボード専用ヘルメットです。その他の用途（登山、クライミング、バイク、自転車、カヌーなど）には使用しないでください。

- EN1077クラスAとクラスBに準拠したヘルメットは、アルペンスキーヤー、スノーボーダーおよび同様のスノースポーツ用に設計されています。クラスAのヘルメットは、より多くの部位を保護しています。クラスBのヘルメットは、ヘルメット内の換気に優れ、周囲の音が聞こえやすい設計ですが、クラスAと比較すると保護の範囲は小さくなり、貫通からの保護も弱くなります。
- 本製品は前述の安全基準（クラスB）に適合していますが、いかなる事故や衝撃に対しても永久的に機能性、安全性を発揮するものではありません。

**警告** 場合により人が死亡または重傷を負う可能性が想定される内容です。  
軽傷または物的損害が発生する頻度が高いことが想定される内容です。

- ご自身の頭のサイズに合ったヘルメットをご使用ください。サイズが合っていないと本来の性能が発揮できない恐れがあります。
- 使用方法をご覧のうえ、頭に合わせてサイズを正しく調節してください。正しく調節しないと本来の性能が発揮できない恐れがあります。また、調節しても頭に合わない場合は使用しないでください。
- ストラップは必ずしっかり締めて正しくかぶってください。バックルをとめなかったり、締め方がゆるいと転倒の際に脱げて頭を守ることができません。
- フィッティング（調節）を目的とした詰め物をしないでください。本来の性能が発揮できない恐れがあります。
- ヘルメット本体が低温（-25℃以下）や高温（70℃以上）となった状態では本来の性能が発揮できない恐れがあります。
- 本製品の改造や分解などは絶対にしないでください。性能が損なわれ、十分に保護能力が発揮できない恐れがあります。
- 本製品への装飾などは避けてください。ステッカー、マーカーペン、塗料等に含まれる接着剤、溶剤は本製品の性能を低下させる成分が含まれている可能性があり、本来の性能が発揮できない恐れがあります。
- 本製品ヘカメラ等を取り付けると本来の性能を発揮できない恐れがあります。
- 大きな衝撃を受けた場合は、外観に損傷が無くても直ちに本製品の使用を中止してください。一度衝撃を受けると、再度衝撃を受けた際に衝撃を吸収しきれずに、頭部への衝撃を緩和する効果が十分に発揮されないことがあります。
- 使用前に毎回必ず点検をしてください。老朽化が認められる場合や損傷が認められたり、疑わしい場合は直ちに本製品の使用を中止してください。本来の性能が発揮できない恐れがあります。
- 本製品は大切に扱ってください。放り投げたり上に座ったりすると衝撃を吸収するため、衝撃吸収力が低下します。
- 正しいお手入れ方法、保管方法を守ってください。

**注意** 人が傷害を負ったり物的損害の発生が想定される内容です。

- 炎天下や気温が高い時期での着用の際は熱中症にご注意ください。通気性を確保するベンチレーションを備えていますが、構造上熱がこもりやすくなっています。
- 本製品の色によっては、長時間日光に当たることで変色することがあります。
- 本製品をバックパックなどに取り付ける際は、必ずストラップを使用してください。後頭部にあるヘッドバンドで取り付けると破損する恐れがあります。

**■ 使用前の点検** 使用にあたっては、毎回必ず次のことを確かめてください。  
異常が見られた場合は使用しないでください。


- ヘルメット（帽体）の外側および内側に割れや変形が見られないか
- バックルは正しく機能するかどうか
- ダイヤルアジャスターやヘッドバンドに破損や故障はないか
- ストラップにほつれやひどい摩耗などがいないか

## ■ 使用方法

頭部への衝撃に対して本製品の保護機能を十分に発揮させるために、使用者の頭部にしっかり合うようにサイズ調節を行なってください。不適切なサイズ調節や着用では、ヘルメットによる保護効果は得られず危険です。サイズ調節は必ず、使用前に行ってください。


### □ ヘルメットの正しいかぶり方

本製品には前後があります。ダイヤルアジャスターが後頭部にくる向きでかぶってください。  
ヘルメットが前から後ろにかけて水平になるようにして額を保護するように着用してください。ヘルメットを前後左右に動かして、容易にずれないように、頭にフィットしているか確認しながら、正しい位置、角度になっているか確認してください。




### □ マグネット式バックルのとめ方

ストラップはグローブをはめた状態でも脱着のしやすいマグネット式バックルを使用しています。着ける際は、バックルのオスとメスを近づけるととまります。外す際は、右図のようにバックルをスライドして外します。このバックルは頭にヘルメットを固定する重要な部品です。ヘルメットをかぶる際は確実にバックルをとめてください。




### □ ストラップアジャスターの調節

バックルをとめ、耳の下の位置にストラップアジャスターがくるように調節してください。耳の部分が緩かったり、きつい場合はストラップアジャスターを調節してください。ストラップアジャスターの上の前後のテープの長さを変えることでかぶる角度を調節できます。



### □ ストラップ長の調節

バックルに付いているストラップ調節部分でストラップの長さを調節してください。ストラップの長さはバックルをとめたときにストラップがあごから外れない長さにしてください。



### □ ダイヤルアジャスターによる頭囲の調節


後頭部にあるダイヤルアジャスターでヘッドバンドが緩みなく頭にフィットするように調節してください。

**注意**  
ヘッドバンドの調節は着用の際に毎回必ず行ってください。




### □ ベンチレーションの開閉

開閉レバーを動かすことでベンチレーションの開閉が行えます。



### □ イヤーウォーマーの脱着方法

イヤーウォーマーが不要な際や洗いたい時は、脱着が可能です。イヤーウォーマーのループからストラップを外し、根元の前端部を掴んでまっすぐ引き抜いて取り外してください。イヤーウォーマーには左右（L,R）があります。装着する際は、ヘルメットの内側の穴に合わせてはめこみます。



## ■ アクセサリーおよびスペアパーツ

ライナー、イヤーウォーマーが消耗したらモンベル・カスタマー・サービスまでお問い合わせください。



**Care** Improper care and storage of this product can shorten its lifespan.  
Follow the recommendations below to extend the lifespan of your product.

- After use, air dry out of direct sunlight.
- Use cold or warm water to clean the helmet. For heavy soiling, use a soft sponge or cloth with a mild soap. Do NOT use hot water, gasoline, paint thinner, cleaners containing benzene or bleach.
- Hand wash liner and earflap using a mild soap and warm water and shade dry.

## Storage

- Store in a well-ventilated, cool, dry place away from direct sunlight.
- Do NOT store in a car or places subject to temperature extremes.
- During transport, do NOT put heavy items on top of the helmet. Do NOT allow chemicals and sharp or pointed objects to come into contact with the helmet.

## Lifespan

- The helmet's durability will diminish with regular use. If used, cared for and stored correctly, the typical lifespan of this product is 5 years, however this depends on amount and conditions of use. Frequent use will diminish the helmet's lifespan, requiring replacement sooner. The helmet's lifespan is also affected by the following:

**Plastic parts** Exposure to chemicals – Exposure to heat – Severe impacts – Improper care and storage

**Fabric parts** Exposure to chemicals – Use during hot weather – Extended exposure to ultraviolet light – Abrasion – Sharp edges – Improper care and storage

## Disposal

- When the helmet has reached the end of its usable lifespan and must be disposed of, destroy the helmet to ensure it can never be used again, for example by cutting the chin straps.
- Please follow local regulations regarding waste disposal.

## Warranty

Montbell's warranty covers all defects in materials and workmanship to the original owner, for the lifetime of the product. If a product ever fails due to a manufacturing defect, Montbell will repair or replace the product at Montbell's discretion. This warranty does not cover damage(s) caused by accident, improper care, negligence, misuse, alterations or normal wear and tear. Damage(s) not covered under warranty will be repaired at a reasonable rate. If you would like to make a warranty inquiry, please contact Montbell Customer Service or the store of original purchase.

## Specifications

Style No. : 1134152  
Model : Light Weight Fall Line Helmet  
Materials : (Top Outer Shell) ABS  
(Side Outer Shell) polycarbonate  
(Inner Shell) EPS(expanded polystyrene)  
(Liner) polyester

Size : S/M(54~57cm) , M/L(58~61cm)

Country of : China

Origin

Certifications : **CE** EN 1077 : 2007(CLASS B)

Certificate : ALIENOR CERTIFICATION

Authority : 21, rue Albert Einstein ZA du Sanital 86100  
CHATELLERAUT, CHATELLERAUT,  
FRANCE

Notified Body No: 2754

EU declaration : <https://www.montbell.com/>  
of conformity



1. Style No.
2. Model
3. Size
4. CE marking
5. European standard for skiing and snowboarding helmet EN1077:2007(class B)
6. Serial Number
7. Date of Manufacture : Year
8. Date of Manufacture : Month
9. Weight
10. Manufacture

All product specifications and design are subject to change without prior notice. Actual product specifications may vary.

**mont-bell Co., Ltd.**

2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN

<https://www.montbell.com/>

**mont-bell**

## User's Manual

# Light Weight Fall Line Helmet

## Light Weight Fall Line Helmet

Thank you for purchasing this product. Before using, please carefully read this manual for instructions on the proper care and usage of this product.


Please understand this manual only explains how to use the product and adjust fit and does not go into detail regarding using the product safely or safe skiing or snowboarding practices. You are personally responsible for learning the proper techniques and safety procedures for using this equipment.

If you have any questions regarding this product, please contact Montbell Customer Service or the store of original purchase. Keep this manual for future reference.

## Description

This lightweight helmet for skiing and snowboarding delivers versatile comfort with adjustable vents. Designed to fit a rounder shaped head, a dial adjuster at the back of the helmet fine-tunes the overall fitting. Features a magnetic buckle that is easy to fasten and unfasten even with gloves on. Conforms to EN 1077 class B, the European Standard for "Helmets for alpine skiers and snowboarders."

## Components



## Safety Warnings

**Please read carefully.**



**DANGER!**

Under certain conditions,  
use of this product can result in major injury or death.

- Skiing and snowboarding are inherently dangerous activities. Even if the helmet is used, cared for, and stored correctly, it will not completely eliminate the risk of major injury or death. You are responsible for your own actions and decisions. Montbell Co., Ltd. is not liable for damages or accidents resulting in injury or death.
- This helmet is designed to reduce the risk of injury to the skull and part of the head while skiing and snowboarding, it has passed EN1077:2007 (class B) to show conformity to the EHSR of Regulation (EU) 2016/425. Do NOT use this helmet for any mountaineering, climbing, motorized sport, bicycling, kayaking or any activity for which it was not designed.

- EN1077 Class A and class B helmets are designed for alpine skiers, snowboarders and similar groups. Class A helmets offer comparatively more protection. Class B helmets may offer greater ventilation and better hearing, but protect a smaller area of the head and give a lesser degree of protection from penetration compared to class A helmets.
- Although this product conforms to EN 1077 class B, it cannot be used indefinitely and materials will degrade over time and with regular use.

**⚠ WARNING!** Under certain conditions, use of this product can result in injury, death, or property damage.

- Choose a helmet size that fits your head. If the helmet isn't properly sized, it will not function as intended.
- After reading the user's manual, adjust the helmet's fit. If the helmet is not fitted properly, it may not provide adequate protection. If the helmet does not fit even after making adjustments, stop using immediately.
- Make sure the chin strap is secured and the helmet is seated properly. If the chin strap is loose or unfastened, the helmet can become dislodged, providing no protection.
- Do NOT stuff the inside of the helmet to make it fit. If the helmet isn't properly sized, it will not function as intended.
- Temperatures below -25°C and above 70°C may negatively affect the performance of the helmet.
- Do NOT alter or modify the helmet in any way. Alterations and modifications can negatively affect the performance of the helmet.
- Do NOT decorate the helmet with paint, stickers or markers. Adhesives and solvents can negatively affect the performance of the helmet.
- Attaching a camera to the helmet may negatively affect the performance of the helmet.
- If the helmet receives a strong or significant impact, stop using the helmet immediately, even if the outward appearance shows no signs of damage. After absorbing an impact, there is a possibility the helmet will not be able to absorb the full force of a second impact and may transfer impact forces to the user's head.
- Prior to use, check the helmet's condition and stop using immediately if you notice or suspect any damage or irregularities.
- Do NOT abuse or mistreat the helmet. Throwing, dropping or sitting on top of the helmet can reduce its ability to absorb impact forces.
- Please follow proper care and storage instructions.

**⚠ CAUTION!** Under certain conditions, use of this product can result in injury or property damage.

- Be careful of heatstroke during particularly hot and sunny weather. Due to the helmet's inherent design, it will easily trap heat even with holes for ventilation.
- Extended exposure to sunlight may cause the helmet's color to fade.
- When attaching the helmet to the outside of a backpack, attach it using the chin strap. Attaching it by the headband may damage the helmet.

## ■ Prior to use, inspect this product for: Stop using immediately if you notice any irregularities.


- |  |   |
|--|---|
| <input type="checkbox"/> Cracks and damage to the inside and outside of the helmet | <input type="checkbox"/> Proper buckle function                 |
| <input type="checkbox"/> Damage or failure of the dial adjuster and headband       | <input type="checkbox"/> Severed straps or damage from abrasion |

## ■ Directions

In order to protect your head in the event of an impact, your helmet must be fitted properly. Improperly sized and improperly fitted helmets have a reduced ability to protect you in the event of an impact. Prior to each use, adjust the fit of your helmet.


### ☐ Putting on the helmet

This helmet has a front and back. Put on the helmet so the dial adjuster is at the back of the head. Make sure the helmet is seated horizontally. Move the helmet around to check the helmet is seated correctly and fits properly. It should not shift positions easily.




### ☐ Securing the helmet

The helmet's chin strap features a magnetic buckle that is easy to fasten even with gloves on. When fastening the buckle, move the two ends close to each other and they will magnetically connect. When unfastening the buckle, slide the ends away from each other as shown in the figure on the right. Fastening the buckle is necessary for securing the helmet to your head. Always fasten the buckle when wearing the helmet.




### ☐ Positioning the divider

The dividers must be positioned below the ears. If the dividers are too tight or loose, make adjustments by moving the dividers up and down the chin strap. Adjusting the positions of the dividers will also change the angle of how the helmet sits on the head.



### ☐ Changing chin strap length

Adjust the length of the chin strap to prevent it from sliding off of the chin.



### ☐ Adjusting width


Rotate the dial at the back of the dial adjustor to tighten and loosen.



**⚠ Warning**  
Prior to each use, adjust the width using the dial adjustor.


### ☐ Adjusting the vents

The vents are opened and closed by moving the vent adjustment lever.



### ☐ Removing and re-attaching the earflaps

Remove the earflaps when not needed or when washing them. First, remove the helmet straps from the loops on the earflaps. Then, holding the front of the earflaps at the base, pull up to remove. Be aware that there are left and right specific earflaps. When reinstalling the earflaps, align with the slots inside the helmet and insert.



## ■ Accessories and Spare Parts

Contact Montbell Customer Service for information on replacement/spare liner and earflaps.